

SureKill®

Advanced Insecticide Products

Total Release Aerosol

Water-Based Formula
For Use indoors in Homes, Rooms, and Food and Non-Food Areas of Food Processing Plants, Restaurants, Industrial Buildings, Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels, Hospitals, and Kennels

ACTIVE INGREDIENTS:

Pyrethrins.....	0.05%
*Piperonyl butoxide	0.10%
**N-Octyl bicycloheptene dicarboximide.....	0.16%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.10%
OTHER INGREDIENTS:	99.59%
TOTAL	100.00%

*(butylcarbityl) (6-propylpiperonyl) ether and related compounds

**MGK® 264, Insecticide Synergist

EPA Reg. No. 1021-1635-47000

EPA Est. No. 47000-IA-01

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel and inside leaflet for First Aid and additional Precautionary Statements
See inside leaflet for complete Spanish translation

Distributed by: Chem-Tech, Ltd.

1006 Business Highway 5

Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation.

Item No. 111511



Net Weight: 6 oz. (170.1 g)

SureKill® Advanced Insecticide Products Total Release Aerosol

ACTIVE INGREDIENTS:

Pyrethrins.....	0.05%
*Piperonyl butoxide	0.10%
**N-Octyl bicycloheptene dicarboximide.....	0.16%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate.....	0.10%
OTHER INGREDIENTS:	99.59%
TOTAL	100.00%

*(butylcarbityl) (6-propylpiperonyl) ether and related compounds

**MGK® 264, Insecticide Synergist

EPA Reg. No. 1021-1635-47000

EPA Est. No. 47000-IA-01

KEEP OUT OF REACH OF CHILDREN CAUTION

See inside leaflet for First Aid and complete Directions for Use
See inside leaflet for complete Spanish translation

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Flammable. Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Do Not Puncture or Incinerate!

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.

Distributed by: Chem-Tech, Ltd.

1006 Business Highway 5

Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation. L5580-1117

Net Weight: 6 oz. (170.1 g)

FRONT OF CAN

BACK OF CAN (COVERED, NOT VISIBLE)
BASE

(INSTRUCCIONES DE USO, *continuado*)

otras habitaciones. ***Tápague TODAS las fuentes de ignición como llamas piloto (válvulas de cierre de gas), otras llamas abiertas o aparatos eléctricos que se apaguen o enciendan (p. ej., refrigeradores, termostatos, etc.).*** a su compañía de gas o empresa gerencial si necesita ayuda con sus llamas piloto.

Use solo un recipiente de nebulizador para tratar una habitación de hasta 27 pies x 27 pies con un techo de 8 pies o 6,000 pies cúbicos de espacio sin obstrucciones.



ANTES DE NEBULIZAR:

Retire o cubra los alimentos expuestos y el agua potable antes de la aplicación.

Retire o cubra los platos, utensilios, equipo de procesamiento de alimentos y superficies de preparación de alimentos, o lávelos antes de usarlos.



Cierre las puertas y ventanas. Apague los ventiladores, aires acondicionados y el equipo de ventilación. Apague todas las llamas, llamas piloto y otras fuentes de ignición. Llame a su compañía de gas o empresa gerencial si necesita ayuda.

Retire las mascotas y aves, cubra y apague los acuarios de peces antes de activar el nebulizador. Coloque una silla, una mesa pequeña o un soporte en el centro de la habitación para ser tratada y cubra con papel periódico.

Cubra los pisos de madera y los muebles de madera en el área inmediata alrededor del nebulizador con periódicos o paños. Abra los gabinetes, alacenas, cajones, armarios y puertas en las áreas a tratar.

Llene y coloque la etiqueta colgante en la puerta del área tratada para alertar a la familia y a otras personas con acceso al área tratada de que no entren durante 2 horas.

AGITE BIEN ANTES DE USAR. MANTENGA EL CONTENEDOR EN POSICIÓN VERTICAL.

PARA COMENZAR A NEBULIZAR: Apunte el nebulizador lejos de la cara y ojos al dispensar (el contenedor pulveriza directamente hacia arriba). Para bloquear la válvula en posición abierta para la descarga automática, presione el botón de la válvula firmemente, hasta que encaje en su lugar. Rompa y quite la pestaña del lado del rociador. Incline el rociador lejos de la cara (el contenedor pulveriza directamente hacia arriba). Luego, coloque el nebulizador en el soporte o la mesa en el centro de la habitación.

Desaloje inmediatamente la casa, unidad de apartamento individual u otra estructura tratada. No permanezca en el área durante el tratamiento. Mantenga el área tratada cerrada durante 2 horas.

No vuelva a entrar durante 2 horas.

VENTILAR: Espere 2 horas después de la aplicación; luego, abra las ventanas, respiraderos y las puertas durante 2 horas. Si aún se puede detectar un olor, se requiere más ventilación.



Para matar pulgas y garrapatas: Destruya la cama vieja de la mascota y re-emplácela con una limpia, después de completar el tratamiento. Use el producto como se indica arriba. Las mascotas deben tratarse con un producto registrado para el control de pulgas y garrapatas antes de volver a entrar a las instalaciones tratadas. Además, trate el patio con un producto registrado para la aplicación de patio.



ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, los alimentos y piensos mediante el almacenamiento y eliminación.

Almacenamiento de pesticidas

Almacene en un área fresca y seca. Siempre guarde los pesticidas en su recipiente original. Almacene lejos de alimentos y comida para mascotas.

Eliminación de pesticidas y manejo de contenedores

No perforo ni incinere el contenedor!
Contenedor no rellenable. No reutilice o vuelva a llenar este contenedor.

Si está vacío:

Coloque en la basura o recicleje si está disponible.

Si está parcialmente lleno:

Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación.

Para casos que no sean de emergencia (p. ej., información actual del producto), llame al: **1-800-621-8829.**

5

FIRST AID	
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing eyes.• Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Do not induce vomiting unless told to do so by a poison control center or a doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

PRECAUTIONARY STATEMENTS	
HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
CAUTION	
Breathing spray mist may be harmful. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.	
PERSONAL PROTECTIVE EQUIPMENT	
Applicators must wear: Long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or Viton.	
USER SAFETY REQUIREMENTS	
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separated from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.	
USER SAFETY RECOMMENDATIONS	
Users should wash hands before eating/drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.	
PHYSICAL OR CHEMICAL HAZARDS	
Highly Flammable Ingredient Ingrediente Altamente Inflamable	
Flammable. Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.	

PEEL AWAY TO SEE COMPLETE DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS

Abierto para ver las instrucciones de uso y las declaraciones de precaución ➡

OUTSIDE COVER OF LEAFLET (VISIBLE)

SureKill® Advanced Insecticide Products
Total Release Aerosol

EPA Reg. No. 1021-1635-47000
EPA Est. No. 47000-IA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

This product will kill Ants, Cockroaches, Confused Flour Beetles, Crickets, Fleas, House Flies, Mosquitoes, Rice Weevils, Saw-Toothed Grain Beetles, Small Flying Moths, Sowbugs, Spiders, and Ticks.

Authorized for use in Federally Inspected Meat, Milk, and Poultry Plants.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Does not control bed bugs.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

For use only when building has been vacated by human beings and pets. Remove pets, birds, and other fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Remove poultry before treating poultry houses. When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Avoid contamination of food or feedstuffs. Do not treat establishments where livestock feed is present.

Wait 2 hours after application, then open windows, vents, and doors for 2 hours. If an odor is still detectable, additional ventilation is required.

Do not apply when food-processing facility is in operation or foods are exposed. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc., where exposed food will be handled, must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination.

Food areas include areas for receiving, storage, packaging (canning, bottling, wrapping, and boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, and syrups). Serving areas are places where prepared foods are served such as dining rooms, but not excluding areas where foods may be prepared or held. Non-food areas include entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). In homes, do not apply when food is present. Exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before reuse.

TO USE THIS PRODUCT CORRECTLY: DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets, or under counters or tables. ***Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.*** Do not use in a room 5 ft. x 5 ft. with an 8 ft. ceiling or smaller; instead, allow fog to enter from other rooms. ***Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).*** Call your gas utility or management company if you need assistance with your pilot lights.



Use only one canister of fogger to treat a room up to 27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.



Productos insecticidas avanzados SureKill®
Aerosol de liberación total

Núm. reg. EPA 1021-1635-47000
Núm. est. EPA 47000-IA-01

MANTENGA LEJOS DE LOS NIÑOS
PRECAUCIÓN

Estre producto matará hormigas, cucarachas, escarabajos de la harina, grillos, pulgas, moscas comunes, mosquitos, gorgojos del arroz, escarabajos de granos con dientes de sierra, polillas voladoras pequeñas, cochinillas, arañas y garrapatas. Autorizado para su uso en plantas de carne, leche y aves inspeccionadas federalmente.

INSTRUCCIONES DE USO

Es una violación de la ley federal usar este producto de manera inconsistente con su etiquetado.

LEA LA ETIQUETA COMPLETA ANTES DE CADA USO.

PRECAUCIONES Y RESTRICCIONES GENERALES:

No controla las chinches.

No aplique este producto de manera que entre en contacto con los trabajadores u otras personas, ya sea directa o indirectamente.

Para uso solo cuando el edificio ha sido desocupado por humanos y mascotas. Retire las mascotas, aves y cubra los acuarios de peces antes de pulverizar. No use en invernaderos donde las plantas se cultivan como alimento. No use en cabinas de aviones. No permita que adultos, niños o mascotas entren al área tratada hasta que los vapores, neblinas y aerosoles se hayan dispersado, y el área tratada haya sido ventilada a fondo. Retire las aves de corral antes de tratar los galpones. Cuando se use en granjas o instalaciones lecheras: cierre las tapas de los tanques de leche para evitar la contaminación con el aerosol o con insectos. Retire o cubra los utensilios de ordeño antes de la aplicación. Lave los pezones de los animales antes de ordeñar.

Evite la contaminación de alimentos o piensos. No trate los establecimientos donde hay alimento para el ganado.

Espere 2 horas después de la aplicación; luego abra las ventanas, respiraderos y las puertas durante 2 horas. Si aún puede detectar un olor, se necesita más ventilación.

No aplique cuando las instalaciones de procesamiento de alimentos estén en funcionamiento o los alimentos estén expuestos. Lave bien todas las superficies de procesamiento de alimentos antes de volver a usarlas. Después de rociar panaderías, plantas emparadoras de carne, plantas de procesamiento de alimentos, etc., se deben lavar todos los bancos, estanterías, equipos, etc., donde se manipularán alimentos expuestos, con un compuesto de limpieza efectivo seguido de un enjuague con agua potable para eliminar los rastros de contaminación.

Las áreas de alimentos incluyen áreas para recepción, almacenamiento, empaclado (enlatado, embotellado, envoltura y empaquetado), preparación, almacenamiento de desechos comestibles y sistemas cerrados de procesamiento (molinos, lecherías, aceites comestibles y jarabes). Las áreas de servicio son lugares donde se sirven comidas preparadas, como comedores, pero sin excluir las áreas donde se pueden preparar o guardar los alimentos. Las áreas no alimentarias incluyen entradas y vestibulos, oficinas, vestidores, cuartos de máquinas, cuartos de calderas, garajes, armarios de trapeadores y almacenes (después del enlatado o embotellado). En los hogares, no aplique cuando haya comida presente. La comida expuesta debe cubrirse o retirarse. Todas las superficies y utensilios para la preparación de alimentos deben cubrirse durante el tratamiento o lavarse bien antes de volver a usarlos.

PARA USAR ESTE PRODUCTO CORRECTAMENTE: NO use más de un nebulizador por habitación. NO use en espacios pequeños y cerrados como armarios, gabinetes o debajo de mostradores o mesas. ***El uso de un nebulizador en un espacio cerrado puede hacer que el producto explote, lo que puede ocasionar lesiones a personas o daños a la propiedad.*** No use en una habitación de 5 pies x 5 pies con un techo de 8 pies o más pequeño; en cambio, permita que la niebla entre desde



(DIRECTIONS FOR USE, *continued*)

BEFORE YOU FOG:

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.



Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights, and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds, cover and turn off fish aquariums before activating fogger. Place a chair, small table, or stand in the center of the room to be treated and cover with newspaper.

Cover wood floors and wood furniture in the immediate area around fogger with newspapers or a drop cloth. Open cabinets, cupboards, drawers, closets, and doors in areas to be treated. Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

TO START FOGGING: Point fogger away from face and eyes when releasing (container sprays straight up). To lock valve in open position for automatic discharge, press valve button down firmly, until it snaps into place. Break off and remove tab on side of sprayer. Tilt sprayer away from face (container sprays straight up). Then place the fogger on the stand or table in the center of the room.

Vacate the treated house, individual apartment unit, or other structure immediately. Do not remain in the area during treatment. Keep treated area closed for 2 hours.

Do not re-enter for 2 hours.

AIRING OUT: Wait 2 hours after application, then open windows, vents, and doors for 2 hours. If an odor is still detectable, additional ventilation is required.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to re-entering treated premises. Also, treat your yard with a product registered for yard application.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!
Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.

For non-emergency (e.g., current product information), call: **1-800-621-8829.**

Productos insecticidas avanzados SureKill®
Aerosol de liberación total

INGREDIENTES ACTIVOS:

Piretrinas.....0.05%
*Etoxido de piperonilo.....0.10%
*N-Octil biciclohepteno dicarbocimida.....0.16%
(S)-ciano(3-fenoxifenil)metil-(S)-4-cloro-alfa-(1-metiletil)benzoacetato.....0.10%
OTROS INGREDIENTES:.....99.59%
TOTAL.....100.00%
*(butilcarbutil) (6-propilpiperonil) éter y otros compuestos relacionados
*MGK® 264, Sinergista de insecticidas

2

PRIMEROS AUXILIOS	
Si cae en la piel o ropa:	<ul style="list-style-type: none">• Quite la ropa contaminada.• Enjuague la piel inmediatamente con agua durante 15 a 20 minutos.• Llame a un centro de control de envenenamientos o a un médico para obtener consejos sobre el tratamiento.
Si cae en los ojos:	<ul style="list-style-type: none">• Mantenga los ojos abiertos y enjuague lenta y suavemente con agua durante 15-20 minutos.• Quite los lentes de contacto, si tiene, después de los primeros 5 minutos. Luego continúe enjuagando.• Llame a un centro de control de envenenamientos o a un médico para obtener consejos sobre el tratamiento.
Si es ingerido:	<ul style="list-style-type: none">• Llame inmediatamente a un centro de control de envenenamientos o a un médico.• No induzca el vómito a menos que así le sea indicado por el centro de control de envenenamientos o un médico.• No le dé ningún líquido a la persona.• No administre nada por boca a una persona inconsciente.
Si es inhalado:	<ul style="list-style-type: none">• Mueva la persona al aire libre.• Si la persona no está respirando, llame al 911 o a una ambulancia. Luego, suministre respiración artificial, preferiblemente boca a boca, si es posible.• Llame a un centro de control de envenenamientos o a un médico para más consejos sobre el tratamiento.
Tenga a mano el envase o etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o cuando vaya a obtener un tratamiento. Para obtener más información sobre emergencias médicas o incidentes con pesticidas, llame al 1-888-740-8712.	
MEDIDAS DE PREVENCIÓN	
RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS	
PRECAUCIÓN	
Respirar el vapor puede ser dañino. Es dañino si se inhala o absorbe a través de la piel. Causa irritación ocular moderada. Evite el contacto con la piel, los ojos y la ropa. Evite inhalar los vapores o la niebla. Lave bien con agua y jabón después del manejo y antes de comer, beber, masticar chicle, consumir tabaco o usar el baño.	
EQUIPO DE PROTECCIÓN PERSONAL	
Los aplicadores deben usar: camisa de manga larga y pantalones largos; zapatos más calcetines; guantes resistentes a químicos hechos de laminado de barrera, caucho de nitrilo, caucho de neopreno o Viton.	
REQUISITOS DE SEGURIDAD PARA LOS USUARIOS	
Siga las instrucciones del fabricante para limpiar/mantener EPP. Si no existen tales instrucciones para lavado, use detergente y agua caliente. Mantenga y lave el EPP separado de la otra ropa. Deseche la ropa y otros materiales absorbentes empapados o fuertemente contaminados con este producto. No los reutilice.	
RECOMENDACIONES DE SEGURIDAD PARA LOS USUARIOS	
Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, consumir tabaco o usar el baño. Los usuarios deben quitarse la ropa/EPP inmediatamente si entran pesticidas. Luego, lávese bien y póngase ropa limpia. Los usuarios deben quitarse el EPP inmediatamente después de manejar este producto. Lave la parte exterior de los guantes antes de quitarlos. Tan pronto como sea posible, lávese completamente y cámbiese a ropa limpia.	
RIESGOS FÍSICOS O QUÍMICOS	
Highly Flammable Ingredient Ingrediente altamente inflamable	
Inflamable. Contenido bajo presión. No almacene cerca del calor o llamas abiertas. No perforo ni incinere el contenedor. La exposición a temperaturas superiores a 130°F puede causar estallido. Este producto contiene un ingrediente altamente inflamable. Puede causar un incendio o explosión si no se usa apropiadamente. Siga las instrucciones de uso en esta etiqueta con mucho cuidado.	

3

4