



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
10200007120

1/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	CENTERFIRE™ 75 WSP INSECTICIDE
Product code (UVP)	04399455
SDS Number	10200007120
EPA Registration No.	432-1332

Relevant identified uses of the substance or mixture and uses advised against

Use	Insecticide
Restrictions on use	See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

All Emergencies, 24hr/ 7 days 1-800-334-7577

Product Information

Telephone No.

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation : Category 2B

Acute toxicity (Oral, Inhalation): Category 4



Signal word: Warning

Hazard statements

Causes eye irritation.
Harmful if swallowed.
Harmful if inhaled.

Precautionary statements

Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Use only outdoors or in a well-ventilated area.



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
102000007120

2/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
Rinse mouth.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a POISON CENTER or doctor/ physician if you feel unwell.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Imidacloprid	138261-41-3	75.00

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
102000007120

3/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.
------------------	---

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Water, Carbon dioxide (CO ₂), Foam, Dry chemical
Unsuitable	None known.

Advice for firefighters

Special protective equipment for fire-fighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
---	--

Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--

Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available
Dust explosion class	no data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
--------------------	--

Methods and materials for containment and cleaning up

Methods for cleaning up	Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
--------------------------------	---

Additional advice	Use personal protective equipment.
--------------------------	------------------------------------

Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
------------------------------------	---



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
10200007120

4/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.
Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing immediately and dispose of safely.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Imidacloprid	138261-41-3	5 ug/m3 (AN ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	50 ug/m3 (ST ESL)	07 2011	TX ESL
Sodium aluminium silicate (Respirable fraction.)	1344-00-9	1 mg/m3 (TWA)	02 2012	ACGIH
Sodium aluminium silicate (Particulate.)	1344-00-9	5 ug/m3 (AN ESL)	02 2013	TX ESL
Sodium aluminium silicate (Particulate.)	1344-00-9	50 ug/m3 (ST ESL)	02 2013	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
10200007120

5/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Tightly fitting safety goggles
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	powder
Odor	none
Odour Threshold	no data available
pH	7 (1 %) suspension in water
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Bulk density	30 lb/ft ³ (bulk density tapped)
Evaporation rate	not applicable
Boiling Point	not applicable
Melting / Freezing Point	not applicable
Water solubility	dispersible
Minimum Ignition Energy	no data available
Decomposition temperature	no data available



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
102000007120

6/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

Partition coefficient: n-octanol/water	no data available
Viscosity	not applicable
Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available
Dust explosion class	no data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	no data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	no data available
Incompatible materials	no data available
Hazardous decomposition products	Hydrogen cyanide (hydrocyanic acid) Carbon monoxide Nitrogen oxides (NO _x) Hydrogen chloride (HCl)

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Eye contact, Skin contact, Skin Absorption, Inhalation
Immediate Effects	
Eye	Causes eye irritation.



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
10200007120

7/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

Skin Harmful if absorbed through skin.

Ingestion Harmful if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (male rat) 2,591 mg/kg
LD50 (female rat) 1,858 mg/kg

Acute inhalation toxicity LC50 (male rat) 2.65 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
(actual)

LC50 (female rat) 2.75 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
(actual)

LC50 (male rat) 10.6 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.
(actual)

LC50 (female rat) 11.0 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.
(actual)

Acute dermal toxicity LD50 (male/female combined rat) > 2,000 mg/kg

Skin irritation Slight irritation (rabbit)

Eye irritation Minimally irritating. (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
102000007120

8/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic invertebrates	EC50 (Water flea (<i>Daphnia magna</i>)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid. LC50 (<i>Chironomus riparius</i> (non-biting midge)) 0.0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic plants	EC50 (<i>Desmodesmus subspicatus</i>) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.
Biodegradability	Imidacloprid: not rapidly biodegradable
Koc	Imidacloprid: Koc:225
Bioaccumulation	Imidacloprid: Does not bioaccumulate.



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
102000007120

9/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

Mobility in soil	Imidacloprid: Moderately mobile in soils
Environmental precautions	<p>Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not allow to get into surface water, drains and ground water.</p> <p>Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.</p>

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	<p>Do not contaminate water, food, or feed by disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.</p>
Contaminated packaging	<p>Follow advice on product label and/or leaflet. Do not re-use empty containers.</p>
RCRA Information	<p>Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.</p>

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3077
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
IATA	
UN number	3077
Class	9
Packaging group	III



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
102000007120

10/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

Environm. Hazardous Mark YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(IMIDACLOPRID MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN
POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1332

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification



CENTERFIRE™ 75 WSP INSECTICIDE

Version 2 / USA
102000007120

11/11
Revision Date: 12/19/2013
Print Date: 01/05/2017

criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.
Causes eye irritation.
Avoid contact with skin, eyes and clothing.
Avoid breathing dust or vapour.
Wash thoroughly with soap and water after handling.
Remove and wash contaminated clothing before re-use.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 12/19/2013

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.